



UNILUX

VARIALUX

VARIALUX black / articulated



VARIALUX grey metal / articulated





- **Easy to use:** its dimmer located on the mast allows you to vary the lighting to adapt it to the activity: reading, writing, working.
- **Contemporary design:** its slender appearance and enamelled interior basin allows excellent illumination. This floor lamp embellishes and embellishes workspaces.
- **Longevity:** the lifespan of its LEDs is estimated at more than 40,000 hours.
- **Uniform light diffusion:** indirect lighting without glare, you will benefit from quality accent lighting.
- **Available in two colors:** black or metal gray


Warranty: 2 years
 Height: 180 cm
 Articulated height: 183 – 192 cm
 Head: Ø 36 cm
 Base of the floor lamp in stable metal: 5 kg
 Materials: Superior quality all-steel with Epoxy paint finish




Professional replaceable light source (LED only)

Characteristics

Lux measurement upwards 55 cm from the light source:



Measurement in nanometers of the light spectrum




SAP. code	400090467	400090468	400090469	400090471
EAN code	3595560014040	3595560014057	3595560014064	3595560014071
Colors	Black	Grey metal	Black articulated	Grey metal articulated
Luminous flow (Lm)	3 041	3 041	3 041	3 041
Lux at 55 cm (indirect)	2820	2820	2820	2820
Luminous Efficiency (Lm/W)	132	132	132	132
Color T°(K)	3000	3000	3000	3000
CRI	82	82	82	82
Source's lifetime (h)	40 000	40 000	40 000	40 000
Energy Consumption (kWh/1000h)	23	23	23	23
Net weight (kg)	8,13	8,13	8,46	8,46

OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

Energy class




OUR EXPERTISE

1- Floor lamp with indirect lighting: An essential complementary light!

Because they're so easy to install and so decorative, indirect-lighting floor lamps are a firm favourite with the French! This floor lamp is ideal for illuminating a specific area of a room, or for adding a small, original decorative touch that will change the whole atmosphere of the room.

Thanks to its upward-directed light, which will reverberate off the ceiling, this floor lamp generally acts as a secondary or ambient light, providing you with high quality, high-performance lighting. It blends in perfectly with any room in your business:

- individual office
- open space
- meeting rooms
- high-traffic areas such as reception halls



OUR CERTIFICATIONS


Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.





UNILUX


USER GUIDE



i

 x1

 5 min



 www.my-unilux.com



30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: contact.unilux@hamelinbrands.com

17 avenue du Parc TECHNOPOLES

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

www.my-unilyx.com

E-mail: contact.unilux@hamelinbrands.com

UNILUX