



UNILUX

JACK

JACK



JACK is an elegant and intelligent lamp: equipped with a USB port to charge smartphones and the possibility of changing the color temperature according to the needs of the user.

Reclining arms and head.

Touch switch on the base: 4 intensity levels and 3 color temperature levels.

UNILUX



- **USB charging port:** integrated USB 2.0 Type A connection 5 V, max. 1A, charge your smartphone or tablet (cable not supplied).
- **The touch switch:** on the base with 4 levels of intensity and 3 levels of adjustment of the color temperature to adapt to different needs: rest, reading, work.
- **Sober and elegant design:** with an elliptical shaped head allowing an optimal diffusion of the light on the worktop. It fits perfectly to all office sizes.
- **Energetically efficient:** this lamp consumes 75% less energy than incandescent lighting and 35% less energy than fluorescent lighting for the same level of brightness.
- **Comfortable light for the eyes with its latest generation LED:** the light is stable without flickering or glare. Protects your eyes well


Warranty: 2 years
 Maximum height: 35 cm / minimum height: 25 cm
 Materials: ABS plastic base and head, aluminum arm



Professional replaceable light source (LED only)

Characteristics


Measurement in Lux on the worktop view at 35 cm:




> 500 Lux

< 500 Lux

Measurement in Lux on the worktop in profile view at 35 cm:



Measurement in nanometers of the light spectrum




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP no.	400077430
EAN code	3595560012862
Color	Black
Luminous flow	488
Lux at 35cm	925
Lm/W	98
Color T° (K)	2900 / 3400 / 4000
CRI	>82
Source lifetime (h)	40 000
Energy consumption (kWh/1000 h)	13
USB Port	Yes
Inductive charger	No
Net weight (kg)	1,19

OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

Energy class




OUR EXPERTISE

1-Why use accent lighting?

We are regularly subjected to constant artificial lighting in the office that does not take into account our biological rhythm. Poor lighting quality can cause headaches, sleep disorders, loss of concentration. According to a recent study, only 34% of offices reach the lighting level of 500 lux recommended by Occupational Medicine.

2-Biodynamic light: source of well-being!

An adapted biodynamic light that accompanies you on a daily basis is essential to be effective in your work, your projects in order to prevent any harmful consequences produced by poor lighting. Your productivity will be greatly improved, you will be more dynamic and in a better mood. This is the reason why each individual must carefully follow his "circadian rhythm". The circadian rhythm is a biological rhythm that governs a set of physiological processes in humans. It is regulated by light for 24 hours.



OUR CERTIFICATIONS

Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.




USER GUIDE

i

x1

1 min

 www.my-unilux.com

+

(A) x1

(B) x1


52 cm

Ø 10cm

Ø 15cm


USB Charger

ON / OFF

 The dimmer increases or decreases the brightness

1sc

1sc

 3 color temperatures

3000K

3500K

4000K

3sc

3sc

30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: contact.unilux@hamelinbrands.com

17 avenue du Parc TECHNOPOLIS

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

www.my-unilyx.com

E-mail: contact.unilux@hamelinbrands.com

UNILUX