



UNILUX

---

EASY

# EASY



The EASY lamp is equipped with high-efficiency LED lighting for low consumption. EASY offers 3 levels of light intensity, allowing everyone to adapt the lighting, throughout the day, according to their needs. The 3-level touch switch is placed on the stand equipped with a USB port.

UNILUX



- **USB charging port:** integrated USB 2.0 Type A connection 5 V, max. 1A, charge your smartphone or tablet (cable not supplied).
- **Easy to use:** thanks to its easily accessible touch button, this lamp offers 3 levels of light intensity, allowing everyone to adapt the lighting throughout the day according to their needs.
- **Adjustable:** its metal hose, elastomer-wrapped allows you to easily direct the light beam exactly where you need it by adjusting its height and angle.
- **Sleek and uncluttered design:** this lamp will perfectly integrate all the workspaces and different sizes of desks.
- **Optimum and bright lighting:** The LED lighting of this lamp provides glare-free, uniform light that does not hurt your eyes.

Warranty: 2 years

Maximum height: 55 cm / minimum height: 35 cm


Materials: head and base in ABS plastic / metal arm with rubber surface




Light source replaceable (LED only) by a professional

## Characteristics


Measurement in Lux on the work surface in top view at 35 cm:



Measurement in Lux on the work surface in profile view at 35 cm:



Measurement in nanometer of the light spectrum




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP. code	400093833
EAN code	3595560015580
Colors	Black
Luminous flux (lm)	997
Lux (Lx)	1465 at 35 cm
Luminous Efficiency (lm/W)	111
Color T°( K)	2900
CRI	84
Source's lifetime (h)	50 000
Energy Consumption (kWh/1000h)	9
USB port	Yes
Induction charger	No
Poids net (kg)	1,7

# OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

## Energy class




# OUR EXPERTISE

## 1-Why use auxiliary lighting?

We are regularly subjected to constant artificial lighting in the office, which takes no account of our biological rhythms. Poor lighting quality can cause headaches, sleep disorders and loss of concentration. According to a recent study, only 34% of offices achieve the level of illumination of 500 lux recommended by Occupational Medicine in accordance with DIN EN 12464-1\*.

## 2-How to light your workspace?

- Position the lamp head at least 35 cm above the worktop. work surface.
- Place the lamp on the opposite side to the hand that is holding the mouse or writing.
- Use lamps with asymmetrical lighting to reduce eyestrain, which can lead to eye irritation, headaches, loss of concentration, reduced productivity, etc.
- Position the lamp so that it is easy to adjust and so that the light is in the right place.
- Avoid reflections from shiny surfaces.
- Limit direct glare from bright light in the field of vision and indirect glare from bright light in the field of vision. in the field of vision and indirect glare from the reflection of light from the reflection of light in the field of vision, on a work surface walls or objects.



# OUR CERTIFICATIONS


Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.






Le marque de la  
gestion forestière  
responsable

# UNILUX



\* DIN EN 12464-1 (DIN 5035-1): European standard which determines the lighting requirements for workstations in closed places, these satisfying the needs of comfort and visual performance. DIN EN 12464-1 replaced DIN 5035-1



Dimmer switch increase brightness



USB – TYPE C



## 30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



## Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



## Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: [contact.unilux@hamelinbrands.com](mailto:contact.unilux@hamelinbrands.com)

17 avenue du Parc TECHNOPOLES

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

[www.my-unilyx.com](http://www.my-unilyx.com)

E-mail: [contact.unilux@hamelinbrands.com](mailto:contact.unilux@hamelinbrands.com)

UNILUX