




UNILUX

---

NELLY



NELLY its powerful LED lighting of 369 Lumens, its autonomy of 7 hours and its wireless function, the NELLY LED desk lamp will accompany you in all your travels (office, meeting room or when traveling). It recharges quickly on USB port thanks to its cable (supplied)



- **Nomad lamp:** wireless and thanks to its low weight of 240g, NELLY is easily transported from one workspace to another (office, meeting room, co-working spaces).
- **Compact:** once folded, this lamp can now accompany you on your travels (transport).
- **High-efficiency 2400mAh Lithium-Ion battery:** it offers a battery life of 7h and can easily be recharged via its 1.2 m USB cable (supplied).
- **33 cm arm:** fully flexible swivel in all directions to adjust lighting in the right place on your worktop.
- **Light intensity variation:** by pressing the touch button continuously.
- **Variation of color temperature:** by short press on the touch button: 2900 K / 4100 K / 6300 K.
- **Protect your eyes:** this floor lamp offers a pleasant, stable, quality light thanks to the latest generation LED protected by an opaque plastic. No flicker or glare.

Warranty: 2 years

Maximum height: 33 cm / minimum height: 25 cm


Materials: base and head in ABS plastic / metal arm with rubber surface



Professional replaceable light source (LED only)

## Characteristics


Measurement in Lux on the worktop view at 35 cm:




> 500 Lux

< 500 Lux

Measurement in Lux on the worktop in profile view at 35 cm:



Measurement in nanometers of the light spectrum




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP no.	400124483
EAN code	3595560029372
Color	White
Luminous flow	369
Lux at 35cm	1000
Lm/W	123
Color T° ( K )	2900 / 4100 / 6300
CRI	86
Source lifetime (h)	20 000
Energy consumption (kWh/1000 h)	3
USB Port	No
Inductive charger	No
Net weight (kg)	0,24

# OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

## Energy class




# OUR EXPERTISE

## 1-Why use accent lighting?

We are regularly subjected to constant artificial lighting in the office that does not take into account our biological rhythm. Poor lighting quality can cause headaches, sleep disorders, loss of concentration. According to a recent study, only 34% of offices reach the lighting level of 500 lux recommended by Occupational Medicine.

## 2-Biodynamic light: source of well-being!

An adapted biodynamic light that accompanies you on a daily basis is essential to be effective in your work, your projects in order to prevent any harmful consequences produced by poor lighting. Your productivity will be greatly improved, you will be more dynamic and in a better mood. This is the reason why each individual must carefully follow his "circadian rhythm". The circadian rhythm is a biological rhythm that governs a set of physiological processes in humans. It is regulated by light for 24 hours.







# OUR CERTIFICATIONS



Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.





# USER GUIDE


**i**  x1  1 min 


 [www.my-unilux.com](http://www.my-unilux.com)


**+**  (A) x1  (B) x1


**Flexible**  (A) 13,0cm 35cm Ø:12,5cm




 Dimmer that increases or decreases brightness







 3 adjustable color temperatures



3000k 4500k 6000k




USB port for charging (cable included)



(B)

7-hour battery life



## 30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



## Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



## Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: [contact.unilux@hamelinbrands.com](mailto:contact.unilux@hamelinbrands.com)

17 avenue du Parc TECHNOPOLES

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

[www.my-unilyx.com](http://www.my-unilyx.com)

E-mail: [contact.unilux@hamelinbrands.com](mailto:contact.unilux@hamelinbrands.com)

UNILUX