



UNILUX

MENDY



- **Brightness:** color temperature variation and brightness level easily adjustable via rotary knob. Mendy is fully optimized for rest, reading, and work. Choose the best quality of light according to your activities.
- **Smart:** set the required brightness once with the memory function, you can return to your last choice of settings when you turn it back on.
- **Contemporary design:** a pure and original style thanks to the sleek design of the head and the thinness of the arm. This lamp suits perfectly at home or at the office.
- **Energy efficient:** last generation cost-saving energy LED.
- **Lifetime:** 20 000 h.
- **Eye caring system:** high quality, uniform, flicker-free and glare-free LED lighting. No harmful radiation on eyes - avoids eye fatigue.


Warranty: 2 years
 Height maxi: 43 cm/ height mini: 39 cm
 Materials: metal base/ aluminium arm/ ABS plastic head



Professional replaceable light source (LED only)

Characteristics


Measurement in Lux on the worktop view at 35 cm:




> 500 Lux

< 500 Lux

Measurement in Lux on the worktop in profile view at 35 cm:



Measurement in nanometers of the light spectrum




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP no.	400165038
EAN code	3595560034475
Color	White
Luminous flow	690
Lux at 35cm	1325
Lm/W	99
Color T* (K)	3000K à 6500K
CRI	>83
Source lifetime (h)	20 000
Energy consumption (kWh/1000 h)	7
USB Port	No
Inductive charger	No
Net weight (kg)	0,86

OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

Energy class




OUR EXPERTISE

1-Why use accent lighting?

We are regularly subjected to constant artificial lighting in the office that does not take into account our biological rhythm. Poor lighting quality can cause headaches, sleep disorders, loss of concentration. According to a recent study, only 34% of offices reach the lighting level of 500 lux recommended by Occupational Medicine.

2-Biodynamic light: source of well-being!

An adapted biodynamic light that accompanies you on a daily basis is essential to be effective in your work, your projects in order to prevent any harmful consequences produced by poor lighting. Your productivity will be greatly improved, you will be more dynamic and in a better mood. This is the reason why each individual must carefully follow his "circadian rhythm". The circadian rhythm is a biological rhythm that governs a set of physiological processes in humans. It is regulated by light for 24 hours.



OUR CERTIFICATIONS


Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.




USER GUIDE

i






x1 1 min



 www.my-unilux.com

+

(A) x1 (B) x1



30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: contact.unilux@hamelinbrands.com

17 avenue du Parc TECHNOPOLES

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

www.my-unilyx.com

E-mail: contact.unilux@hamelinbrands.com

UNILUX