




UNILUX

TIMELIGHT

TIMELIGHT



TIMELIGHT automatically synchronizes your Circadian rhythm and thus contributes to your well-being. It works with the "My unilux" app, which also allows you to manually control the color temperature and light intensity/ It automatically mutes and turns on when you leave or return to your office. It is also equipped with a USB port and an induction charger



Free upload application : My-unilux



- **Well-being:** innovative and connected lamp via your smartphone that synchronizes your circadian rhythm by reproducing sunlight and its impact on hormones (melatonin and serotonin).
- **Automatic mode:** The pre-programmed circadian cycle brings you the right quality of light at the right time of day.
- **Manual mode:** adjustment of intensity and color temperature according to your needs.
- **Wireless induction charging socket (5 W):** Charge your smartphone or other compatible* device by simply placing it on the lamp base.
- **USB charging port:** integrated USB 2.0 Type A connection 5 V, max. 1A, charge your smartphone or tablet (cable not supplied).
- **Innovative design:** this slender and aerial design lamp can be assembled and disassembled in a few seconds thanks to its innovative connectivity.
- **Convenient to use:** The intensity dimmer is fully adjustable, just touch the touch button to adjust the light.
- **Low visual stress after prolonged use:** ideal for working, reading or studying, at home or in the office.


Warranty: 2 years
Max height: 50 cm
Materials: ABS plastic base and head/ aluminum arm



Professional replaceable light source (LED only)

Characteristics


Measurement in Lux on the worktop view at 35 cm:




> 500 Lux

< 500 Lux

Measurement in Lux on the worktop in profile view at 35 cm:



Measurement in nanometers of the light spectrum




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP no.	400110241
EAN code	3595560028085
Colors	Black
Luminous flow	533 lm
Lux at 35cm	1350
Lm/W	76
Color T* (K)	2700 K à 5200 K
CRI	86
Source Lifetime (h)	50 000
Energy consumption (kWh/1000 h)	7
USB Port	Yes
Inductive charger	Yes
Net weight (kg)	1,27

OUR CSR COMMITMENTS

1. All our lighting are **100% repairable** thus limiting planned obsolescence.
2. Reduce our carbon footprint through our **ECO-DESIGN THINKING** approach.
3. Contribute to the preservation of the planet's natural resources by promoting the use of **recycled materials**.
4. Optimize our packaging to control our **transport costs**.
5. Highlight the **talent of our employees** by ensuring social equality.

Energy class




OUR EXPERTISE

1-Why use accent lighting?

We are regularly subjected to constant artificial lighting in the office that does not take into account our biological rhythm. Poor lighting quality can cause headaches, sleep disorders, loss of concentration. According to a recent study, only 34% of offices reach the lighting level of 500 lux recommended by Occupational Medicine.

2-Biodynamic light: source of well-being!

An adapted biodynamic light that accompanies you on a daily basis is essential to be effective in your work, your projects in order to prevent any harmful consequences produced by poor lighting. Your productivity will be greatly improved, you will be more dynamic and in a better mood. This is the reason why each individual must carefully follow his "circadian rhythm". The circadian rhythm is a biological rhythm that governs a set of physiological processes in humans. It is regulated by light for 24 hours.



OUR CERTIFICATIONS

Unilux is committed to an eco-responsible approach and ensures that its products respect this commitment. Indeed, we are very concerned about current environmental issues and we aspire to respond as best as possible to the concerns of our consumers on this subject. Sustainable development is at the heart of our strategy and we act for the environment. You will find below the different certifications that Unilux has and that prove its environmental commitment.



USER GUIDE


i x1 1 min

www.my-unilux.com

(A) x1

(B) x1

OUTPUT: constant voltage 33V



1 Attach the arm to the base and the head to the arm.

2 Your lamp is ready to use.

⚠ The light source contained in this luminaire may only be replaced by the manufacturer or his service agent or a similar qualified person.

< 1sec → START/STOP

> 1sec →

WIRELESS CHARGER

If your phone has a built-in wireless receiver, it will be charged directly when you place it on the charging area of the lamp stand

If your phone does not have a built-in wireless receiver, buy one, then connect the receiver to your phone and place it on the charging area of the lamp stand, your phone will be charged.

CONNECTING TO BLUETOOTH

Bluetooth connection compatibility with Apple devices:
 Timelight is compatible with iPhones, from the iPhone 4S and following models, and Ipad, the Ipad wifi 3rd generation and the following models.
 All other previous Apple devices are not compatible

30 products available on pCon Planner

You will be able to obtain data on many UNILUX or OFML standard products and integrate them quickly and easily into 3D space layouts via pCon.



Download on our E-shop

Always available: photos in HD, data sheets, instruction manual, repairability instructions for all our products.



Do you have any questions?

Our after-sales service is always at your disposal

Tèl: +33 1 81 86 06 03

E-mail: contact.unilux@hamelinbrands.com

17 avenue du Parc TECHNOPOLIS

91380 Chilly Mazarin – France

Tèl: +33 1 81 86 06 00

www.my-unilyx.com

E-mail: contact.unilux@hamelinbrands.com

UNILUX