



UNILUX

LOU

LOU



Light up your space with our small, compact and flexible LOU lamp, perfectly suited to all your lighting needs.

UNILUX

LOU




- **Flexible:** the LOU lamp adapts to all situations thanks to its flexible arm, offering lighting versatility to meet your needs.
- **Settings :** easy to use and quick to access, the touch-sensitive ON/OFF button gives you total control over light intensity (3 levels) and colour temperature, all in the blink of an eye.
- **Color temperature variation :** perfect to create the right atmosphere, whether you're relaxing, reading or working.
- **Design :** LOU will blend harmoniously into your workspace, ideal for studious minds.
- **Compact :** once folded, this lamp can be taken with you wherever you go.
- **Power supply :** supplied with a USB cable type-C/ type-A.

Warranty : 2 years
Max height : 30 cm
Min height : 20 cm
Materials : ABS plastic / silicon



Features


Measurement in Lux on the work surface from a top view at 20 cm :



> 500 Lux

< 500 Lux


Measurement in Lux on the work surface from a side view at 20 cm :



> 500 Lux

< 500 Lux

Measurement in nanometers of the light spectrum :




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP. code	400188805
EAN code	3595560040865
Color	White
Luminous flux (Lm)	293
Lux (Lx)	990 at 20 cm
Energy efficiency (Lm/W)	104
Color temperature (K)	3000 / 4000 / 6500
CRI	88
Source lifespan (h)	50 000
Energy consumed (kWh/1000 h)	3
USB port	No
Induction charger	No
Net weight (kg)	0.2

ENVIRONMENT

UNILUX focuses on sustainable development and takes concrete measures to reduce its environmental footprint and best meet the evolving expectations of its consumers.

We are notably committed to reduce our greenhouse gas emissions by 29% between 2021 and 2030 in response to the "Net Zero Carbon Emissions by 2050" challenge. Eco-design, emissions reduction and continuous improvement are at the core of our concerns.



OUR EXPERTISE


Task lighting

In the office, we are often exposed to constant artificial lighting. Poor lighting quality can lead to headaches, sleep disturbances, and decreased concentration. According to a recent study, only 34% of workspaces achieve the recommended illuminance level of 500 lux by Occupational Medicine, in accordance with DIN EN 12464-1* standard. Task lighting is frequently used to provide additional brightness when the primary lighting is insufficient.

* Standard setting the limits that workplace lighting must adhere to.

Our tips to light up your workspace :

- Position your desk near windows to benefit from natural daylight and reduce eye fatigue.
- Ensure that the lamp head is positioned at least 35 cm above the work surface.
- Place the lamp on the opposite side of the hand that holds the mouse or writes.
- Position the lamp for easy adjustment.
- Ensure that your lamp is placed to avoid glare on screens and prevent direct glare in your field of vision.



ABOUT UNILUX

Founded in 1952, UNILUX is a French company specializing in lighting and ergonomics. Over the past 25 years, UNILUX has become a benchmark in the field of lighting in France and throughout Europe. In 2000, UNILUX joined the French group HAMELIN, a European leader in stationery. The company modernizes and evolves to become a creator of ambiance and well-being.

OUR CERTIFICATIONS



pCon Planner

Integrate Unilux products seamlessly into your 3D space designs.
Access to essential data : dimensions, prices, etc.



Website






Explore our full range, tips, blog articles, and more.



Do you have any questions ?

Our customer service is always available to assist you.

GLOSSARY

-  ON / OFF
-  Light intensity dimming
-  Color temperature dimming
-  Replaceable light source (LED only) by a professional.
-  European compliance