



UNILUX


ZENITH

ZENITH Black



Discover the versatility of our innovative ZENITH lamp, with its rotating and sliding arm offering unprecedented adaptability to light every corner of your space with elegance and precision.

ZENITH Metal grey



Discover the versatility of our innovative ZENITH lamp, with its rotating and sliding arm offering unprecedented adaptability to light every corner of your space with elegance and precision.

ZENITH




- **Optimized lighting** : its rotating, sliding arm lets you direct the light with a simple movement, for perfect luminosity in the blink of an eye.
- **Settings**: easy to use and quick to access (located on the head), the touch-sensitive buttons provide a smooth, practical experience for adjusting the lighting to suit your preferences. You can adjust the light intensity and color temperature.
- **Color temperature variation** : adapt your lighting to suit your mood, whether you're relaxing, reading or working.
- **Design** : with its ultra-modern look and uniform lighting, ZENITH brings a touch of elegance to your space.
- **Practical** : this clip-on lamp saves space on your desk.
- **Smart** : ZENITH has a 30 or 60-minute timer that automatically sets the lamp to go out, saving energy in the process.

Warranty : 2 years
 Max height : 63 cm
 Min height : 20 cm
 Materials : aluminium



Features


Measurement in Lux on the work surface from a top view at 35 cm :



> 500 Lux

< 500 Lux


Measurement in Lux on the work surface from a side view at 35 cm :



> 500 Lux

< 500 Lux

Measurement in nanometers of the light spectrum :




- 0 No-risk
- 1 Low-risk
- 2 Moderate-risk
- 3 High-risk

SAP. code	400188588	400188589
EAN code	3595560040704	3595560040735
Colors	Black	Metal grey
Luminous flux (Lm)	2370	2370
Lux (Lx)	6100 at 35 cm	6100 at 35 cm
Energy efficiency (Lm/W)	103	103
Color temperature (K)	3000 / 3500 / 4000 / 4200 / 5000	3000 / 3500 / 4000 / 4200 / 5000
CRI	83	83
Source lifespan (h)	50 000	50 000
Energy consumed (kWh/1000 h)	23	23
USB port	No	No
Induction charger	No	No
Net weight (kg)	1.12	1.12

ENVIRONMENT

UNILUX focuses on sustainable development and takes concrete measures to reduce its environmental footprint and best meet the evolving expectations of its consumers.

We are notably committed to reduce our greenhouse gas emissions by 29% between 2021 and 2030 in response to the "Net Zero Carbon Emissions by 2050" challenge. Eco-design, emissions reduction, and continuous improvement are at the core of our concerns.



OUR EXPERTISE


Task lighting

In the office, we are often exposed to constant artificial lighting. Poor lighting quality can lead to headaches, sleep disturbances, and decreased concentration. According to a recent study, only 34% of workspaces achieve the recommended illuminance level of 500 lux by Occupational Medicine, in accordance with DIN EN 12464-1* standard. Task lighting is frequently used to provide additional brightness when the primary lighting is insufficient.

* Standard setting the limits that workplace lighting must adhere to.

Dynamic lighting : a source of well-being

Having appropriate dynamic lighting is essential to be effective in your daily activities and to avoid the harmful effects of poor lighting. Improved productivity, increased dynamism, and a positive mood are the results. Therefore, each individual should pay special attention to their circadian rhythm, a biological cycle that controls various physiological processes and is influenced by light over a 24-hour period.



ABOUT UNILUX

Founded in 1952, UNILUX is a French company specializing in lighting and ergonomics. Over the past 25 years, UNILUX has become a benchmark in the field of lighting in France and throughout Europe. In 2000, UNILUX joined the French group HAMELIN, a European leader in stationery. The company modernizes and evolves to become a creator of ambiance and well-being.

OUR CERTIFICATIONS



pCon Planner

Integrate Unilux products seamlessly into your 3D space designs.
Access to essential data : dimensions, prices, etc.



Website






Explore our full range, tips, blog articles, and more.



Do you have any questions ?

Our customer service is always available to assist you.

GLOSSARY

-  ON / OFF
-  Light intensity dimming
-  Color temperature dimming
-  Replaceable light source (LED only) by a professional.
-  European compliance